

SLEEVE AREA: 19.5"x6.25"



DOMINATOR 64

**ONE-STEP DISINFECTANT
GERMICIDAL, DETERGENT AND DEODORANT**

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) OF PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:
PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of blood/body fluids and during decontamination procedures. **CLEANING PROCEDURES:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **CONTACT TIME:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for other viruses, fungi, and bacteria listed. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood/body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

EPA Reg. No. 47371-131-12120
EPA Est. No. 4313-TX-1

FOR EMERGENCY MEDICAL
INFORMATION 1-888-779-1339

CUSTOMER SERVICE
1-800-323-2251

www.triple-s.com

DOMINATOR 64

**ONE-STEP DISINFECTANT
GERMICIDAL, DETERGENT AND DEODORANT**

Disinfectant - Pseudomonacidal - Staphylocidal - Salmonellacidal
Bactericidal - Fungicidal - Mildewstatic - *Virucidal

ACTIVE INGREDIENTS:	
Didecyl dimethyl ammonium chloride	2.54%
n-Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%) dimethyl benzyl ammonium chloride ..	1.69%
INERT INGREDIENTS:	95.77%
Total	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**
See side panel for Precautionary Statements and First Aid

NET CONTENTS: 1 U.S. GALLON (3.8 Liters)

DOMINATOR 64

**ONE-STEP DISINFECTANT
GERMICIDAL, DETERGENT AND DEODORANT**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Avoid contact with the skin. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not reuse empty container. Wrap and discard in trash or recycle.

719.752 8.30.06 rev 23.05.2007

Product No.
13020



DOMINATOR 64

**ONE-STEP DISINFECTANT
GERMICIDAL, DETERGENT AND DEODORANT**

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

Recommended for use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, federally inspected meat and poultry establishments, tack shops, pet shops, airports, kennels, hotels, motels, breeding establishments, and grooming establishments.

Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, non-medical metal surfaces, non-medical stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.)

Recommended for use in: federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas, and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens: **Bacteria:** Pseudomonas aeruginosa, Staphylococcus aureus¹, Salmonella choleraesuis, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Enterobacter aerogenes, Enterobacter cloacae, Enterococcus faecalis-Vancomycin Resistant (VRE), Escherichia coli¹, Fusobacterium necrophorum, Klebsiella pneumoniae¹, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin Resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA), Staphylococcus epidermidis², Streptococcus faecalis¹, Streptococcus pyogenes. **Viruses:** *Adenovirus type 4, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes simplex type 1, *Herpes simplex type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A/Hong Kong, *Respiratory syncytial virus (RSV), *Rubella (German Measles), *SARS Associated Coronavirus, *Vaccinia. **Animal Viruses:** *Avian polyomavirus, *Canine distemper, *Feline leukemia, *Feline picornavirus, *Pseudorabies, *Rabies. **Fungi:** Aspergillus niger, Candida albicans, Trichophyton mentagrophytes.

¹ATCC & antibiotic-resistant strain
DILUTION: 1:64 (660 ppm quat)

²antibiotic-resistant strain only
2 OUNCES PER GALLON OF WATER

Manufactured for:



2 Executive Park Drive, BILLERICA, MA 01862

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION/CLEANING/DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions. **MILDEWSTATIC INSTRUCTIONS:** Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water for a period of 10 minutes. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.



PMS 872



BLACK



- APPROVED AS IS
- APPROVED WITH REVISIONS LISTED
- NOT APPROVED REVISE AS INDICATED AND RE-PROOF

SIGNATURE _____ DATE _____



TRIPLE S



DOMINATOR 64

**ONE-STEP DISINFECTANT
GERMICIDAL, DETERGENT AND DEODORANT**

Disinfectant - Pseudomonacidal - Staphylocidal - Salmonellacidal
Bactericidal - Fungicidal - Mildewstatic - *Virucidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride	2.54%
n-Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%) dimethyl benzyl ammonium chloride	1.69%

INERT INGREDIENTS: 95.77%

Total **100.00%**

**KEEP OUT OF REACH OF CHILDREN
DANGER**
See side panel for Precautionary Statements and First Aid.

NET CONTENTS: 5 U.S. GALLONS (19 Liters)

DOMINATOR 64

ONE-STEP DISINFECTANT GERMICIDAL, DETERGENT AND DEODORANT

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE - Store in original container in areas inaccessible to children. Open dumping is prohibited. Do not reuse empty container. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

EPA Reg. No. 47371-131-12120
EPA Est. No. 4313-TX-1

Product No.
13004



FOR EMERGENCY MEDICAL
INFORMATION 1-888-779-1339

FOR PRODUCT INFORMATION
1-800-323-2251

www.triple-s.com

DOMINATOR 64

ONE-STEP DISINFECTANT GERMICIDAL, DETERGENT AND DEODORANT

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

Recommended for use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, federally inspected meat and poultry establishments, tack shops, pet shops, airports, kennels, hotels, motels, breeding establishments, and grooming establishments.

Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, non-medical metal surfaces, non-medical stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.)

Recommended for use in: federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas, and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens: **Bacteria:** Pseudomonas aeruginosa¹, Staphylococcus aureus¹, Salmonella choleraesuis, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Enterobacter aerogenes, Enterobacter cloacae, Enterococcus faecalis-Vancomycin Resistant (VRE), Escherichia coli¹, Fusobacterium necrophorum, Klebsiella pneumoniae¹, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin Resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA), Staphylococcus epidermidis², Streptococcus faecalis¹, Streptococcus pyogenes. **Viruses:** *Adenovirus type 4, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes simplex type 1, *Herpes simplex type 2, *Human coronaviruses, *HIV-1 (AIDS virus), *Influenza A/Hong Kong, *Respiratory syncytial virus (RSV), *Rubella (German Measles), *SARS Associated Coronavirus, *Vaccinia. **Animal Viruses:** *Avian polyomavirus, *Canine distemper, *Feline leukemia, *Feline picornavirus, *Pseudorabies, *Rabies. **Fungi:** Aspergillus niger, Candida albicans, Trichophyton mentagrophytes.

¹ATCC & antibiotic-resistant strain

²antibiotic-resistant strain only

DILUTION: 1:64 (660 ppm quat)

2 OUNCES PER GALLON OF WATER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION/CLEANING/DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water for a period of 10 minutes. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) OF PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of blood/body fluids and during decontamination procedures. **CLEANING PROCEDURES:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **CONTACT TIME:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for other viruses, fungi, and bacteria listed. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood/body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Avoid contact with the skin. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

719.752 8.30.06 rev 23.05.2007

Manufactured for:



TRIPLE S

2 Executive Park Drive, BILLERICA, MA 01862



TRIPLE S



DOMINATOR 64

ONE-STEP DISINFECTANT

GERMICIDAL, DETERGENT AND DEODORANT

**Disinfectant - Pseudomonacidal - Staphylocidal - Salmonellacidal
Bactericidal - Fungicidal - Mildewstatic - *Virucidal**

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride	2.54%
n-Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%) dimethyl benzyl ammonium chloride	1.69%

INERT INGREDIENTS: 95.77%

Total 100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel for Precautionary Statements and First Aid.

NET CONTENTS: 55 U.S. GALLONS (208.2 Liters)

DOMINATOR 64

ONE-STEP DISINFECTANT GERMICIDAL, DETERGENT AND DEODORANT

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE** - Store in original container in areas inaccessible to children. Open dumping is prohibited. Do not reuse empty container. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL** - Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, burn. If burned, stay out of smoke.

EPA Reg. No. 47371-131-12120

EPA Est. No. 4313-TX-1

Product No.

13006



FOR EMERGENCY MEDICAL INFORMATION

1-888-779-1339

FOR PRODUCT INFORMATION

1-800-323-2251

www.triple-s.com

DOMINATOR 64

ONE-STEP DISINFECTANT, GERMICIDAL, DETERGENT AND DEODORANT

PELIGRO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO.

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 400 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil (5% organic serum) according to the AOAC Use-dilution Test. Disinfects, cleans, and deodorizes in one labor-saving step.

Recommended for use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, federally inspected meat and poultry establishments, tack shops, pet shops, airports, kennels, hotels, motels, breeding establishments, and grooming establishments.

Disinfects, cleans, and deodorizes the following hard nonporous inanimate surfaces: floors, walls, non-medical metal surfaces, non-medical stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.)

Recommended for use in: federally inspected meat and poultry plants on all hard, nonporous surfaces in inedible product processing areas, non-processing areas, and/or exterior areas. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens: **Bacteria:** Pseudomonas aeruginosa¹, Staphylococcus aureus¹, Salmonella choleraesuis, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Enterobacter aerogenes, Enterobacter cloacae, Enterococcus faecalis-Vancomycin Resistant (VRE), Escherichia coli¹, Fusobacterium necrophorum, Klebsiella pneumoniae¹, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Salmonella typhimurium, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin Resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA), Staphylococcus epidermidis², Streptococcus faecalis¹, Streptococcus pyogenes. **Viruses:** *Adenovirus type 4, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes simplex type 1, *Herpes simplex type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A/Hong Kong, *Respiratory syncytial virus (RSV), *Rubella (German Measles), *SARS Associated Coronavirus, *Vaccinia. **Animal Viruses:** *Avian polyomavirus, *Canine distemper, *Feline leukemia, *Feline picornavirus, *Pseudorabies, *Rabies. **Fungi:** Aspergillus niger, Candida albicans, Trichophyton mentagrophytes.

¹ATCC & antibiotic-resistant strain
DILUTION: 1:64 (660 ppm quat)

²antibiotic-resistant strain only
2 OUNCES PER GALLON OF WATER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION/CLEANING/DEODORANT DIRECTIONS: Remove heavy soil deposits from surface. Then thoroughly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. The use-solution can be applied with a cloth, mop, sponge, or coarse spray, or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes. Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove heavy soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove heavy soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under rim. Let stand for 10 minutes or overnight, then flush.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTAIN INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge, or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

VETERINARY PRACTICE/ANIMAL CARE/ANIMAL LABORATORY/2005/PET SHOP/KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water for a period of 10 minutes. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) OF PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of blood/body fluids and during decontamination procedures. **CLEANING PROCEDURES:** Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of disinfectant. **CONTACT TIME:** HIV-1 (AIDS virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) (room temperature). HBV and HCV are inactivated after a 10 minute contact time. Use a 10-minute contact time for other viruses, fungi, and bacteria listed. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood/body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes or clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Avoid contact with the skin. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRSTAID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

752 8.30.06 rev 23.05.2007

1PC7217752*1

Manufactured for:



TRIPLE S

2 Executive Park Drive, BILLERICA, MA 01862