

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	SSS ROYAL TOUCH LAUNDRY DETERGENT		
PRODUCT CODE	17016	MANUFACTURED FOR	Triple S
ISSUE DATE	04/04/01	STREET ADDRESS	2 Executive Park Drive
SUPERCEDES	08/08/00	CITY, STATE ZIP	Billerica, MA 01862
		PHONE	(978) 667 7900

EMERGENCY TELEPHONE NUMBER
1-800-535-5053

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS No.	OSHA PEL/TLV	EXPOSURE LIMITS		OTHER LIMITS
			ACGIH TLV	STEL	
Nonylphenoethoxylate	9016-45-9	N/E	N/E	N/E	N/A
Sodium Metasilicate	6834-92-0	N/E	N/E	N/E	N/A

SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW	Causes eye and skin irritation. Harmful if swallowed Harmful if inhalation exposure limits are exceeded
POTENTIAL HEALTH EFFECTS	
INGESTION	Irritation burning to mucous membranes; gas production in stomach
INHALATION	Dust may produce irritation to mucous membranes
EYE CONTACT	Irritation
SKIN CONTACT	Drying

SECTION 4 – FIRST AID MEASURES

INGESTION	Drink large quantities of milk or water. DO NOT INDUCE VOMITING. See physician immediately.
INHALATION	If dusts are raised and irritation occurs, leave area and do not return until dust has settled. If irritation persists see a physician
EYE CONTACT	Flush with flowing water for 15 minutes. If irritation persists see a physician
SKIN CONTACT	Flush with water. If irritation persists see a physician
NOTE TO PHYSICIAN	Treatment based on judgment of the physician in response to reactions of the patient.

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT / METHOD	N/A	FLAMMABLE LIMITS	N/A
% VOLATILE	N/A		
EXTINGUISHING MEDIA	Will not burn or support combustion		

SPECIAL FIRE FIGHTING PROCEDURES	Firefighters should wear a self-contained breathing apparatus as in all chemical fires.
FIRE AND EXPLOSION HAZARDS	NONE

SECTION 6 – ACCIDENTAL RELEASE MEASURES

RESPONSE TO SPILLS	Sweep up spilled material, taking care not to produce dust. Residual material may be diluted with water.
--------------------	----------------------------------------------------------------------------------------------------------

SECTION 7 – HANDLING AND STORAGE

HANDLING PRECAUTIONS	Wash hands before eating. Keep container tightly closed when not in use.
STORAGE PRECAUTIONS	Store in cool dry place.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTIONS

HYGIENIC PRACTICES	Normal procedures for good hygiene. Observe label precautions. Use personal protection equipment.		
	RESPIRATOR	Not necessary	
	GOGGLES / FACE SHIELD	Not necessary	
	APRON	Not necessary	
X	GLOVES	Recommended: PVC, Neoprene, or Nitrile acceptable	
	BOOTS	Not necessary	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	White powder	BOILING POINT	N/A
ODOR	Lemon scent	VAPOR PRESSURE	N/A
PH 1%	11.5	VAPOR DENSITY	N/A
SPECIFIC GRAVITY	N/A	EVAPORATION RATE (butyl acetate=1)	N/A
SOLUBILITY IN WATER	N/A		

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY		STABLE	X		UNSTABLE
CONDITIONS TO AVOID	Elevated temperatures				
INCOMPATIBILITY	Strong acids				
HAZARDOUS PRODUCTS OF DECOMPOSITION	NONE				
POLYMERIZATION		WILL NOT OCCUR	X		MAY OCCUR
CONDITIONS TO AVOID	Moisture				

SECTION 11 – TOXICOLOGICAL INFORMATION

CARCINOGENICITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO

THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910,Z

OTHER EFFECTS

ACUTE	Irritation to mucous membranes, eyes, gastric mucosa
CHRONIC	N/K
ORAL LD/50	Unknown

SECTION 12 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL	Dispose of dry material in a non-hazardous waste receptacle. Diluted material may be flushed to sewer.
----------------	--------------------------------------------------------------------------------------------------------

SECTION 13 – TRANSPORT INFORMATION

DOT CLASSIFICATION		HAZARDOUS			NOT HAZARDOUS	X
DESCRIPTION	N/A					
SEATEX HM CODE	000					

SECTION 14 – OTHER INFORMATION

HMIS CLASSIFICATION

1	BLUE	HEALTH HAZARD
0	RED	FLAMMABILITY
0	YELLOW	REACTIVITY
Alk	WHITE	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Triple S in connection with the use of this information.