

# MATERIAL SAFETY DATA SHEET

## SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

<b>PRODUCT NAME</b>	SSS SPARKLE MATE PRE-SOAK		
<b>PRODUCT CODE</b>	17037, 17038	MANUFACTURED FOR	Triple S
<b>ISSUE DATE</b>	03-29-01	STREET ADDRESS	2 Executive Park Drive
<b>SUPERCEDES</b>	06-25-96	CITY, STATE ZIP	Billerica, MA 01862
		PHONE	(978) 667 7900

### EMERGENCY TELEPHONE NUMBER

1-800-535-5053

## SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS No.	OSHA PEL/TLV	EXPOSURE LIMITS		OTHER LIMITS
			ACGIH TLV	STEL	
Nonylphenoethoxylate	9016-45-9	NE	NE	NE	NE

## SECTION 3 – HAZARDS IDENTIFICATION

<b>EMERGENCY OVERVIEW</b>	Causes eye, skin, respiratory, and gastrointestinal irritation.
---------------------------	---

POTENTIAL HEALTH EFFECTS	
<b>INGESTION</b> .....	Irritation and damage to mucous membranes.
<b>INHALATION</b> .....	Irritation and damage to mucous membranes.
<b>EYE CONTACT</b> .....	Irritation, burning.
<b>SKIN CONTACT</b> .....	Irritation, burning.

## SECTION 4 – FIRST AID MEASURES

INGESTION	Drink large amounts of water or milk followed by citrus juice. <b>DO NOT INDUCE VOMITING. See a physician immediately.</b>
INHALATION	If irritation occurs, leave area until mists have dissipated. If irritation persists, see a physician.
EYE CONTACT	Flush with water for 15 minutes. <b>See a physician immediately.</b>
SKIN CONTACT	Flush with water. If irritation persists, see a physician.
NOTE TO PHYSICIAN	Treatment based on judgment of the physician in response to reactions of the patient.

## SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT / METHOD	N/A	FLAMMABLE LIMITS	N/A
% VOLATILE	N/A		
EXTINGUISHING MEDIA	Dry chemical, water mist, alcohol foam.		
SPECIAL FIRE FIGHTING PROCEDURES	Firefighters should wear a self-contained breathing apparatus as in all chemical fires.		
FIRE AND EXPLOSION HAZARDS	None		

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**RESPONSE  
TO SPILLS

Stop leak. Dilute spilled material with dilute acetic acid (vinegar) to less than pH 10.

**SECTION 7 – HANDLING AND STORAGE**HANDLING  
PRECAUTIONSWash hands before eating.  
Keep container tightly closed when not in use.STORAGE  
PRECAUTIONS

Store in a cool, dry place.

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTIONS**

## HYGIENIC PRACTICES

Normal procedures for good hygiene. Observe label precautions. Use personal protection equipment.

## ENGINEERING CONTROLS

Use general mechanical ventilation to remove vapors at the source.  
Eyewash station is recommended.

	<b>RESPIRATOR</b>	Not necessary
X	<b>GOGGLES / FACE SHIELD</b>	Required: goggles should be chemical splash type.
	<b>APRON</b>	Not necessary
X	<b>GLOVES</b>	Required: gloves should be chemical resistant type.
	<b>BOOTS</b>	Not necessary

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Yellow-green mobile liquid	BOILING POINT	212° F
ODOR	Mild	VAPOR PRESSURE	Not determined
pH CONCENTRATE	11.0-12.0	VAPOR DENSITY	Not determined
SPECIFIC GRAVITY	1.080	EVAPORATION RATE (butyl acetate=1)	<1
SOLUBILITY IN WATER	Not determined		

**SECTION 10 – STABILITY AND REACTIVITY**

CHEMICAL STABILITY		<b>STABLE</b>	X		<b>UNSTABLE</b>	
<b>CONDITIONS TO AVOID</b>	Elevated temperatures.					
INCOMPATIBILITY	Strong acids and oxidizing agents.					
HAZARDOUS PRODUCTS OF DECOMPOSITION	Oxides of carbon.					
POLYMERIZATION		<b>WILL NOT OCCUR</b>	X		<b>MAY OCCUR</b>	
<b>CONDITIONS TO AVOID</b>	None					

**SECTION 11 – TOXICOLOGICAL INFORMATION**

## CARCINOGENICITY

	THIS PRODUCT CONTAINS A KNOWN OR SUSPECTED CARCINOGEN
X	THIS PRODUCT DOES NOT CONTAIN ANY KNOWN OR ANTICIPATED CARCINOGENS ACCORDING TO THE CRITERIA OF THE NTP ANNUAL REPORT ON CARCINOGENS AND OSHA 29 CFR 1910,Z

## OTHER EFFECTS

<b>ACUTE</b>	Dehydration and defatting of skin. Irritation and burning to mucous membranes. Severe eye irritation.
<b>CHRONIC</b>	Unknown
<b>ORAL LD/50</b>	Unknown

**SECTION 12 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL	Neutralized material may be flushed to sewer.
----------------	---

**SECTION 13 – TRANSPORT INFORMATION**

DOT CLASSIFICATION		<b>HAZARDOUS</b>			<b>NOT HAZARDOUS</b>	X
<b>DESCRIPTION</b>	N/A					
SEATEX HM CODE	None					

**SECTION 14 – OTHER INFORMATION**

## HMIS CLASSIFICATION

2	<b>BLUE</b>	HEALTH HAZARD
0	<b>RED</b>	FLAMMABILITY
0	<b>YELLOW</b>	REACTIVITY
Alk	<b>WHITE</b>	SPECIAL HAZARD

Information contained in this MSDS refers only to the specific material designated and does not relate to any process or use involving other materials. This information is based on data believed to be reliable, and the Product is intended to be used in a manner that is customary and reasonably foreseeable. Since actual use and handling are beyond our control, no warranty, express or implied, is made and no liability is assumed by Triple S in connection with the use of this information.

Printed on: 03/29/01