



# Material Safety Data Sheet

This Material Safety Data Sheet is prepared in accordance with 29 CFR 1910.1200

<b>Protective Clothing</b>  	<b>Hazardous Material Information System (U.S.A.)</b>  Health 2 Flammability 2 Reactivity 0  Personal Protection	<b>National Fire Protection Association (U.S.A.)</b>  
---	--	---

## Section I. Product Identification and Uses

Common/Trade name	<b>SSS NewAge HS 450 23045</b>	TSCA
Synonyms	Not available.	CAS # Mixture.
Chemical name	Not Available	
Chemical formula	Not applicable.	
Chemical family	Not available.	
Supplier	Triple S 2 Executive Park Drive N. Billerica, MA 01862	
Phone:	978-667-7900 Emergency Medical # 888-779-1339	

## Section IA. First Aid Measures

<b>Eye contact</b>	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
<b>Skin contact</b>	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
<b>Ingestion</b>	Contact a poison control center immediately for treatment advice. Do not induce vomiting unless instructed to do so by poison control center or doctor. Do not give anything to by mouth to an unconscious person.

## Section II. Hazardous Ingredients

Name	CAS #	% by Weight	TLV/PEL	LC <sub>50</sub> /LD <sub>50</sub>
Mineral Spirits	64742-48-9	0 - 100	<b>ACGIH TLV (United States).</b> TWA: 100 ppm 8 hour(s). <b>OSHA PEL (United States).</b> TWA: 100 ppm 8 hour(s).	Not available.
Oil Modified Urethane Resin	N/A	30-70	Not available.	Not available.
Methyl Ethyl Ketoxime	96-29-7	0-5	Not available.	Not available.
Aluminum Complex	N/A	0-5		

Continued on Next Page

**Section III. Physical Data**

Physical State and Appearance	Liquid.	Odor	Characteristic.
pH	Not applicable.	Taste	Not available.
Odor threshold	Not Available	Color	Amber. (Light.)
Volatility	Not available.		
Boiling/Condensation point	Not available.		
Specific gravity	0.8689 (Water = 1)		
Vapor Density	>1 (Air = 1)		
Vapor pressure	Not available.		
Evaporation rate	>1 compared to Butyl acetate.		
Conditions of instability			
Dispersion properties	Not available.		
Solubility	Insoluble in cold water, hot water.		

**Section IV. Fire and Explosion Data**

The product is:	COMBUSTIBLE.
Fire degradation products	carbon oxides (CO, CO <sub>2</sub> ) nitrogen oxides (NO, NO <sub>2</sub> ...)
Flash points	Not available.
Flammable limits	Not available.
Fire extinguishing procedures	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Flammability	Not available.
Risks of explosion	Not available.

**Section V. Reactivity Data**

Stability	The product is stable.
Hazardous Decomposition Products	Not available.
Products of degradation	Not available.
Reactivity	Reactive with oxidizing agents, acids, alkalis.

**Section VI. Toxicological Properties**

Routes of entry	Dermal contact. Eye contact. Inhalation. Ingestion.
TLV	See Section 2 For Applicable Exposure Limits
Toxicity to animals	LD50: Not available. LC50: Not available.


**Continued on Next Page**

<b>Chronic effects on humans</b>	May aggravate existing skin conditions. May aggravate existing respiratory conditions. May aggravate existing eye disorders. <b>NOTICE:</b> Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
<b>Acute effects on humans</b>	Hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation. Non-corrosive to the eyes.

### **Section VII. Preventive Measures**

<b>Storage</b>	Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). S2- Keep out of the reach of children. Not for use or storage in or around the home.
<b>Precautions</b>	Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, acids, alkalis.
<b>Small spill and leak</b>	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
<b>Large spill and leak</b>	Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.
<b>Protective clothing in case of large spill</b>	Vapor respirator or a self-contained breathing apparatus. Splash goggles. Full suit. Boots. Gloves.

### **Section VIII. Classification**

<b>DOT</b>	
<b>Federal and State Regulations</b>	No products were found. SARA 302/304/311/312 hazardous chemicals: Aliphatic Hydrocarbons SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Aliphatic Hydrocarbons: Fire hazard, Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard

### **Section IX. Protective Clothing**



**Section X. Other Information**

**Validated by CRushton on 4/8/2008.**

**Verified by CRushton.**

**Printed 4/9/2008.**

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*