

TRIPLE S
MATERIAL SAFETY DATA SHEET

PAGE 1
38-0030987

***** SECTION 1: PRODUCT IDENTIFICATION *****

ADDRESS : 2 EXECUTIVE PARK DRIVE, BILLERICA, MA 01862
TELEPHONE NUMBER : 1-800-323-2251
24 HR EMERGENCY PHONE NO : 1-888-779-1339
CHEMICAL NAME OR FAMILY : PAINT PRODUCT
FORMULA : NOT APPLICABLE
TRADE NAME : AZIRADINE CROSSLINK
ISSUE DATE : 01-16-95 DATE PRINTED : 09-17-02

***** SECTION 2: HAZARDOUS INGREDIENTS *****

| NAME | WT % |
|-----------------------------------|--------------------|
| ----- | |
| COMMON(NA) : PROPRIETARY ADDITIVE | TLV TWA NOT ESTAB |
| | TLV STEL NOT ESTAB |
| CAS: TRADE SECRET | OSHA PEL NOT ESTAB |
| | CEILING NOT ESTAB |
| | RECOMND NOT ESTAB |

THERE ARE NO SARA 313 CHEMICALS IN THIS PRODUCT

ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH U.S. TSCA CHEMICAL SUBSTANCE INVENTORY REQUIREMENTS.

***** SECTION 3: PHYSICAL DATA *****

BOILING POINT: N.AV DEG F. (N.AV DEG C.)
VAPOR PRESSURE MM HG AT DEG F. (DEG C.): NA
VAPOR DENSITY (AIR = 1.0): NA
SPECIFIC GRAVITY: 1.07
PERCENT VOLATILE BY VOLUME: 0.00
EVAPORATION RATE (BUTYL ACETATE = 1): NA
SOLUBILITY IN WATER: YES
APPEARANCE/ODOR: NORMAL FOR A COATINGS PRODUCT.
PH : N.AV
COEFFICIENT OF WATER/OIL DISTRIBUTION: N.AV

***** SECTION 4: FIRE AND EXPLOSION HAZARD *****

FLASH POINT TCC/PM DEG F : 400
FLASH POINT TCC/PM DEG C : 204
LOWER EXPLOSIVE LIMIT : NA
UPPER EXPLOSIVE LIMIT : NA
AUTO IGNITION - DEG F : N.AV DEG C : N.AV
SENSITIVITY TO IMPACT : NONE
SENSITIVITY TO STATIC DISCHARGE : N.AV

EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM, AND/OR WATER FOG.

SPECIAL FIRE FIGHTING PROCEDURES:

FIRE FIGHTERS MUST WEAR SELF CONTAINED BREATHING APPARATUS OR AIR MASKS.
CONTAINERS EXPOSED TO FIRE SHOULD BE KEPT COOL WITH WATER SPRAY.

TRIPLE S
MATERIAL SAFETY DATA SHEET

PAGE 2
38-0030987

***** SECTION 4: FIRE AND EXPLOSION HAZARD *****CONTINUED*****

NONE

***** SECTION 5: HEALTH HAZARD DATA *****

THRESHOLD LIMIT VALUE: NOT REQUIRED FOR MIXTURE.

EFFECTS OF OVEREXPOSURE:

IMMEDIATE EFFECTS (ACUTE):

REDNESS OR DRYNESS OF SKIN.

POSSIBLE SKIN AND RESPIRATORY SENSITIZER.

OVEREXPOSURE TO INGREDIENTS IN THIS PRODUCT MAY CAUSE EYE IRRITATION,
SKIN IRRITATION, DELAYED SKIN IRRITATION, SKIN SENSITIZATION.

DELAYED EFFECTS (CHRONIC):

EYE DAMAGE AND PAIN.

POSSIBLE SENSITIZATION.

POSSIBLE SKIN AND RESPIRATORY SENSITIZER.

CONTAINS INGREDIENTS WHICH MAY CAUSE SKIN SENSITIZATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE - NONE KNOWN.

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15
MINUTES AND GET MEDICAL ATTENTION.

SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER.

CLOTHING: REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CLOTHING
BEFORE REUSE. THOROUGHLY CLEAN CONTAMINATED SHOES.

INHALATION: IF AFFECTED BY INHALATION OF VAPOR OR SPRAY MIST, REMOVE
TO FRESH AIR.

SWALLOWING: IF SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

POSSIBLE ROUTES OF ENTRY: INHALATION, INGESTION, SKIN ABSORPTION.

***** SECTION 6: REACTIVITY DATA *****

THIS PRODUCT IS STABLE

CONDITIONS TO AVOID: NONE

INCOMPATIBILITY: ACIDS OR ALKALIES

HAZARDOUS DECOMPOSITION PRODUCTS:

AMMONIA COMPOUNDS NITROGEN OXIDES CARBON DIOXIDE/MONOXIDE

HAZARDOUS POLYMERIZATION: NONE

***** SECTION 7: SPILL OR LEAK PROCEDURES *****

WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

AVOID ALL PERSONAL CONTACT.

WASTE DISPOSAL METHOD:

DISPOSE IN CHEMICAL DISPOSAL AREA OR IN A MANNER THAT COMPLIES WITH LOCAL,
STATE, PROVINCIAL AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

TRIPLE S
MATERIAL SAFETY DATA SHEET

PAGE 3
38-0030987

***** SECTION 8: SPECIAL PROTECTION INFORMATION *****

RESPIRATORY PROTECTION:

UNLESS AIR MONITORING DEMONSTRATES VAPOR/MIST LEVELS ABOVE APPLICABLE LIMITS, NO RESPIRATOR IS REQUIRED. IF RESPIRATOR IS REQUIRED, THE APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) SHOULD BE WORN DURING APPLICATION. FOLLOW RESPIRATOR MANUFACTURERS DIRECTIONS FOR RESPIRATOR USE.

VENTILATION:

REQUIRED FOR SPRAYING OR IN A CONFINED AREA, VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES: NEOPRENE OR OTHER NONPOROUS.

EYE PROTECTION: CHEMICAL TYPE GOGGLES.

OTHER PROTECTIVE EQUIPMENT: NEOPRENE OR PLASTIC APRON AND PROTECTIVE CLOTHING COVERING EXPOSED SKIN AREAS.

***** SECTION 9: SPECIAL PRECAUTIONS *****

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT STORE ABOVE 120 DEG F. (49 DEG C.) BASED ON THE PRODUCT FLASH POINT AND VAPOR PRESSURE, SUITABLE STORAGE SHOULD BE PROVIDED IN ACCORDANCE WITH OSHA REGULATION 1910.106/ONTARIO OH&S REGULATION 851 SECTION 22. EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE, INCLUDING FLAMMABLE OR EXPLOSIVE VAPORS. DO NOT CUT, PUNCTURE OR WELD ON OR NEAR CONTAINER. ALL LABEL WARNINGS MUST BE OBSERVED UNTIL THE CONTAINER HAS BEEN CLEANED OR RECONDITIONED.

ABBREVIATIONS USED:

OSHA-OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION; IARC-INTERNATIONAL AGENCY FOR RESEARCH ON CANCER; LEL-LOWER EXPLOSIVE LIMITS; UEL-UPPER EXPLOSIVE LIMITS; MG CU M-MILLIGRAMS PER METERS CUBED; MM-MILLIMETERS; MPPCF-MILLIONS OF PARTICLES PER CUBIC FOOT; MSHA-MINE SAFETY AND HEALTH ADMINISTRATION; NIOSH-NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH; WHMIS-WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION SYSTEM; H-HOURS; HR-HOURS; NA-NOT APPLICABLE; NOT EST-NOT ESTABLISHED; NTP-NATIONAL TOXICOLOGY PROGRAM; PB-LEAD; PEL-PERMISSIBLE EXPOSURE LEVEL; PPM-PARTS PER MILLION; TCC/PM-TAG CLOSED CUP/PENSKY-MARTEN; RECM-RECOMMENDED; TLV-THRESHOLD LIMIT VALUES. N.AV-NOT AVAILABLE; N.AP-NOT APPLICABLE; C-CELSIUS; F-FAHRENHEIT

***** PREPARED BY SECTION *****

PREPARED BY: REGULATORY AFFAIRS DEPT.

MFG TELEPHONE NUMBER : (612) 332-7371

ISSUE DATE : 01-16-95

DATE PRINTED : 09-17-02

***** DISCLAIMER SECTION *****

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. THE MANUFACTURER MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE DATA. THE MANUFACTURER FURTHER ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS, OR THIRD PARTIES CAUSED BY THIS MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THIS MATERIAL.

