

Material Safety Data Sheet

DATE OF PREPARATION: 9/29/2011
PREVIOUS VERSION: 3/11/2009

HMIS Ratings: HEALTH: 1
FLAMMABILITY: 0
REACTIVITY: 0
PROTECTION: B

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: DOUBLE OVERTIME
ITEM NUMBER: 32002, 32006
SIZE: Pail, Gallon
PRODUCT DESCRIPTION: LOW ODOR SPORTS FLOOR FINISH

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENT	CAS #	% WEIGHT	Occupational Exposure Limits		VAPOR PRESSURE- mm Hg
			ACGIH-TLV	OSHA-PEL	
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8	2.5-10%	100 PPM	100 PPM	0.55 @ 25C
DIPROPYLENE GLYCOL N-BUTYL ETHER	29911-28-2	2.5-10%	N/E	N/E	0.06 @ 20C
N-METHYL-2-PYRROLIDONE	872-50-4	2.5-10%	N/E	N/E	1.00 @ 25C

SECTION III - PHYSICAL DATA

BOILING RANGE: >212F (100C) EVAPORATION RATE: Slower than n-Butyl Acetate
% VOLATILE - WT: 72 DENSITY: 8.52 LBS/GAL (1.02KG/L)
VAPOR DENSITY: Heavier than air SOLUBILITY IN WATER: Miscible

PRODUCT CHARACTERISTICS: White, milky liquid with sweet acrylic odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: None.

% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A (Lower): N/A

EXTINGUISHING MEDIA: Water Spray, Foam, Carbon Dioxide, Dry Chemical

UNUSUAL FIRE & EXPLOSION HAZARDS: Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat.

SPECIAL FIREFIGHTING PROCEDURES: Water may be used to cool closed containers to prevent pressure build-up.

SECTION V - HEALTH HAZARD DATA AND FIRST AID PROCEDURES

EYE CONTACT: May cause irritation, redness and tearing. In case of contact, flush immediately with large amounts of water and obtain medical attention.

SKIN CONTACT: Prolonged or repeated contact may cause drying of skin. In case of contact, remove contaminated clothing. Wash area with soap and water.

INHALATION: Excessive inhalation of vapors may cause dizziness and possible headache. If affected by inhalation, remove to fresh air.

INGESTION: May cause gastrointestinal irritation and nausea. If swallowed, drink 1 or 2 glasses of water to dilute. Get medical attention.

PRIMARY ROUTES OF ENTRY: Inhalation and Dermal

Manufactured for Triple S 2 Executive Park Drive, Billerica, MA
Product Information: 1-800-323-2251
Emergency Telephone: 1-888-779-1339

*****KEEP OUT OF THE REACH OF CHILDREN*****

KEY CODE

HMIS = Hazardous Materials Information System

0 = Minimal Hazard
1 = Slight Hazard
2 = Moderate Hazard
3 = Serious Hazard
4 = Severe Hazard

A = Glasses
B = Glasses + Gloves
C = Glasses + Gloves + Apron
D = Glasses + Faceshield + Gloves + Apron
E = Glasses + Gloves + Dust Respirator

F = Glasses + Gloves + Apron + Dust Mask
G = Glasses + Gloves + Vapor Respirator
J = Goggles + Gloves + Vapor Respirator + Apron

N/A = Not Applicable

N/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

OEL= Occupational Exposure Limits

PEL = Permissible Exposure Limit = exposure limit to an airborne contaminant in a workday set by OSHA

TLV = Threshold Limit Value = Time-weighted average concentration for a normal 8-hour workday without adverse effect.

IARC = International Agency for Research on Cancer

NTP = National Toxicology Program

OSHA = Occupational Safety and Health Administration

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.

Manufactured for Triple S 2 Executive Park Drive, Billerica, MA

Product Information: 1-800-323-2251

Emergency Telephone: 1-888-779-1339

3 of 3