

SSS SENSAIR GEL REFILLS- ALL FRAGRANCES

MATERIAL SAFETY DATA SHEET

Effective Date: 08-01-99

Revised Date: 06-14-00

SUPPLIER:

Triple S
2 Executive Park Drive
Billerica, MA 01862

Page 1 of 3

=====
This Material Safety Data Sheet is being provided to your company for the purpose of providing current health and safety information to your management and employees who work with this product. Please read the data provided and then provide it to those people at your company who have the responsibility to insure compliance with both FEDERAL and STATE Right to Know regulations, and to those employees that request information on this product.

Federal Regulations: Parts 29 and 42 Code of Federal Regulations

State of Illinois : Public Act 83-240
=====

SECTION I PRODUCT IDENTIFICATION

Manufacturer Name and Address: Triple S,
2 Executive Park Drive
Billerica, MA 01862
(800) 323-2251

Chemical Family: Jelled Mixture

Formula: N/A

Hazard Classification: None

NFPA Rating System: Fire-2/Health-1/Reactivity-0

Emergency : 888-779-1339
=====

SECTION 2 COMPOSITION INFORMATION

<u>Component</u>	<u>CAS#</u>	<u>PEL/TLV</u>	<u>Percentage(w/w)</u>
1. Styrene Butadiene Block Copolymer	9003-55-8	ND	10 - 20
2. White Mineral Oil	8042-47-5	No Limit	5 - 20
3. Isopar M	64742-47-8	ND	20 - 40
4. Isopar V	64742-46-7	ND	1 - 10
5. Fragrance	Proprietary Mixture	ND	15 - 30

This product is a mixture for which no health hazard data exist. The hazard communication standard requires that such mixtures be assumed to present the same health hazard as do the components that constitute at least 1% of the mixture (0.1% for carcinogens) although OSHA has noted that the hazards of the individual components may be altered by including them in a mixture. Components of this product that are listed are present in quantities as defined in OSHA 29 CFR 1910.1200:

Some ingredients of this mixture are defined as proprietary compounds or in itself is a mixture whose complete composition is a trade secret.

REGULATORY INFORMATION

FEDERAL/NATIONAL:

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right To Know Act of 1986, as amended, and of 40 CFR 372 (for SARA 313): None

CERCLA requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities in 40 CFR 302.4. Components present in this product which would require reporting under this statute are: None

The following components of this product are listed as extremely hazardous substances in 40 CFR Part 355 and are present at levels which could require reporting and emergency planning (SARA Title III Sections 302 & 304): None

SARA Title III Sections 311 and 312:

Delayed Hazard:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Fire Hazard:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Immediate Health Hazard:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Reactive Hazard:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Sudden Release or Pressure Hazard:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

National VOC Emissions Standards for Consumer Products: (40 CFR Parts 9 & 59)
Category: Solid Air Fresheners VOC Level: Complies with standard

STATE/LOCAL:

California:

Prop. 65: None

Cal. Air Resources Board Classification: Air Freshener

VOC Level: Complies with standard

=====

SECTION 3 PHYSICAL DATA

Melting Point: 113oF	Specific Gravity: 0.82 @ 140oF
Vapor Pressure: N/A	Percent Volatiles:
Vapor Density: N/A	Evaporation Rate: <1
pH: ND	(n-butyl acetate = 1)
Solubility in Water: Insoluble	

Appearance, color & odor: Clear semi-transparent gel, pleasantly scented

=====

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point: 125 - 140oF (Method EPA 1010)

Extinguishing Media: Carbon Dioxide Dry Chemical Foam

Special Fire Fighting Procedures: Water may be ineffective but can be used to cool containers exposed to heat or flames. Wear self-contained breathing apparatus if exposed to flames.

Unusual Fire & Explosion Hazards: Dense smoke may be generated while burning, carbon monoxide, carbon dioxide and other hazardous decomposition products may be generated .

=====

SECTION 5 HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE:

Eyes: May cause eye irritation if gel comes in contact with eyes.

Skin: May be minimally irritating to the skin upon direct contact. Frequent or prolonged contact may produce irritation and cause dermatitis.

Inhalation: No effects at ambient temperature. High vapor/aerosol concentration attainable at elevated temperatures well above ambient are irritating to the eyes, respiratory tract and may cause headaches, dizziness, drowsiness, unconsciousness and other central nervous system effects.

Ingestion: No hazard anticipated from swallowing small amounts incidental to normal handling operations.

EMERGENCY FIRST AID PROCEDURES:

Eye Contact: Flush with water for at least 15 minutes. Get medical attention if irritation persists.

Skin Contact: Obtain medical treatment for thermal burns. Cool molten material rapidly with cold water.

Inhalation: If fumes from molten gel cause a problem, remove person to fresh air. Use oxygen and artificial respiration if required. Get medical attention.

Ingestion: If swallowed Do Not induce vomiting. Get medical attention as soon as possible.

=====

=====
SECTION 6 REACTIVITY DATA
=====

Stability: Stable at normal temperatures Incompatibility: Strong acids and oxidizing agents.
Hazardous Decomposition Products: Carbon monoxide, fumes, smoke including organic acids, aldehydes and alcohols.
Hazardous Polymerization: Will not occur

=====
SECTION 7 SPILL OR LEAK PROCEDURES
=====

Steps to be taken in case material is released or spilled: No special clean up is necessary for small (less than 1 gallon). For larger spills, dam the spill and adsorb material with earth, sand or similar inert material. Place adsorbed material in suitable containers and discard solid waste in accordance with federal, state and local regulations. After removal of the contaminated adsorbent flush spill area with water.

=====
SECTION 8 SPECIAL PROTECTION
=====

Respiratory Protection: Not required during normal usage.
Ventilation: General room ventilation is normally adequate.
Protective Gloves: Not required during normal usage however, use plastic or rubber gloves if product is used where rinse water is not readily available.
Eye Protection: Not required during normal usage.
Other Protective Equipment: None required in normal usage.

=====
SECTION 9 SPECIAL PRECAUTIONS OR COMMENTS
=====

Precautions to be taken in handling and storing: Avoid exposure to excessive heat and prevent from freezing.
Other Precautions: None Required.

=====
INITIAL DATE: AUGUST 1999
=====

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof Triple S, makes no representations as to the completeness or accuracy thereof. Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Triple S be responsible for damages of any nature whatsoever resulting from use of or reliance upon said information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.