



NewAge



Sport and Commercial Wood Floor Care Program



SSS Recoat System



CLEANING:

- Dry mop daily with a tack towel or dusting pad to remove dust, grit, or other abrasive particles. **DO NOT USE ANY DUST MOP TREATMENTS.** Replace or wash towels or pads as necessary.
- Damp mop all spills or spots with a tack towel or cleaning pad dampened with NewAge Replay Maintenance Cleaner (diluted at 1:8 ratio).



AUTO SCRUBBING:

- Set at normal maintenance setting for proper application rate and pad pressure. Add Recoat Conditioner and Prep Cleaner to scrubber. Use a Floor Prep Pad (FPP) or a black pad driven by whatever maintenance pad is typically used. This step cleans and conditions the existing finish to optimize adhesion.
- Tack with Recoat Conditioner and Prep Cleaner to remove all residue.
- Abrade the floor once it has dried (approx. 30 min.) with a Prep Pad or a 120-grit screen.
- Tack with Recoat Conditioner and Prep Cleaner or water to remove all residue after abrading. An auto scrubber may be used for this procedure.
* recommended for sport floors only



BUFFER:

- Apply NewAge Recoat Conditioner and Prep Cleaner with a string mop over a 3'x 24' section of the floor. Recoat Conditioner and Prep Cleaner is ready to use, no mixing required.
- While wet, deep clean and condition the floor with a standard buffer, using a Floor Prep Pad (FPP) or black pad. This cleans and conditions the existing finish to optimize adhesion.
- Abrade the floor once it has dried (approximately 30 minutes) with two FPP's (one driving the other) or a 120-grit screen to prepare for the finish coat.
- Tack with Recoat Conditioner and Prep Cleaner to remove residue after abrading.



FINISHING:

- Apply a NewAge waterborne or oil-modified sport finish.



What the Pros Know

Preventative maintenance will extend the life of your floor finish. Simple steps such as placing walk-off mats in door ways to keep out dirt and grit and avoiding excess moisture from tracked in water or leaks will prolong the life of your floor.

Having a planned daily maintenance schedule of dry mopping or damp mopping over spills can help reduce overall labor costs. Periodic maintenance steps will be needed to keep the look and feel of the finish up to your standards. With this step, an autoscrubber or 175 rpm buffer with a white pad is used with the NewAge Replay Maintenance Cleaner to give a more thorough, deep cleansing. This will minimize the chance of contamination from damaging the floor and reducing overall labor costs.



NewAge Replay Maintenance Cleaner

A waterborne, environmentally responsible cleaner specifically formulated for use in the preparation of existing wood sport floors, or for periodic maintenance to clean all polyurethane finished wood floors without leaving any residue. NewAge Replay Maintenance Cleaner is a concentrate, to be diluted with water according to directions.

5 gallon pail - 32008
1 gallon (4/cs) - 32009



NewAge Recoat Conditioner and Prep Cleaner

NewAge Recoat Conditioner and Prep Cleaner is a specially formulated recoat adhesion system for all types of polyurethane finished hardwood floors, including factory prefinished floors. This product conditions and prepares the existing finish to optimize adhesion of the new coat of finish.

5 gallon pail - 32004
1 gallon (4/cs) - 32007



NewAge Waterbased Finishes



Double Overtime

Double Overtime is our top sport finish for durability and appearance. A premium two-component waterborne wood floor finish. Specifically formulated for professional use on maple sport floors, providing a tough, high-build urethane finish. X-Link Crosslinker included.

5 gallon pail - 32002

1 gallon (3/cs) - 32006

12.7 oz. X-Link - 32003



Game On

Game On is a premium two-component waterborne wood floor finish that meets all state's VOC requirements, including California. Specifically formulated for professional use on maple sport floors, providing a tough, high-build urethane finish. X-Link Crosslinker included.

5 gallon pail - 32015

12.7 oz. X-Link - 32003



Full Court Press

Full Court Press is an excellent one-component sport finish for durability and appearance. A premium waterborne wood floor finish, it's specifically formulated for professional use on maple sport floors, providing a tough, urethane finish with good build.

5 gallon pail - 32001

1 gallon (3/cs) - 32005

Finish Property Chart

| Property | Double Overtime | Game On | Full Court Press | OMU Poly 500/43 | OMU Poly 450/50 | OMU Poly |
|---------------------|-----------------|-----------|------------------|-----------------|-----------------|-----------|
| Solids % | 28% | 32% | 32.50% | 43% | 50% | 55% |
| VOC per g/l** | <350 | <200 | <145 | <500 | <450 | <350 |
| Pot Life | 8 hrs | 8 hrs | N/A | N/A | N/A | N/A |
| Coverage/sq. ft. | 500-600 | 500-600 | 500-600 | 500-600 | 500 | 550-600 |
| Dry Time* | 2-3 hrs | 2-3 hrs | 2-3 hrs | 8-12 hrs | 12-16 hrs | 18-24 hrs |
| Abrasion Resistance | Excellent | Excellent | Very Good | Good | Good | Good |

*Dry times are gauged under conditions of 65 to 80° F and 40 to 60% humidity.

**Please check with all local, state and federal regulations regarding VOC limitations.

NewAge Oil-based Finishes



OMU Poly 500/43

OMU Poly 500/43 is a premium quality, oil-modified polyurethane developed specifically for the wood sport floor industry. This finish provides an extremely tough, high build gloss finish with superior flow and leveling.

5 gallon pail - 32010



OMU Poly 450/50

OMU Poly 450/50 is a premium quality, oil-modified polyurethane developed specifically for the wood sport floor market. This finish provides an extremely tough, high build gloss finish with excellent chemical resistance, protecting against perspiration and routine cleaning.

5 gallon pail - 32011



OMU Poly

OMU Poly is a premium quality, high solids oil-modified polyurethane developed specifically for the wood sport floor market. This finish is low in VOC, and provides an extremely tough, high build gloss finish with excellent chemical resistance, protecting against perspiration and routine cleaning.

5 gallon pail - 32013

NewAge Application Tools



NewAge Professional Floor Finish Applicator Kit

Our finish applicators are precisely weighted to apply the correct pressure needed for an even finish coat every time. NewAge Professional Applicator Kits include a one piece heavy-duty 60" steel handle, one applicator and one Nylfoam applicator refill.

LW Series – Engineered for Waterbased Finishes

NewAge LW 18" Professional Applicator Kit (1/cs) – 47001

NewAge LW 24" Professional Applicator Kit (1/cs) – 47007

HW Series – Engineered for Oil-Modified Finishes

NewAge HW 18" Professional Applicator Kit (1/cs) – 47002

NewAge HW 24" Professional Applicator Kit (1/cs) – 47008



NewAge Floor Finish Applicator

Applies an even layer of finish to large areas with professional, consistent and even coverage every time. Threaded handle provided for extension pole (not included).

NewAge LW (water-based finishes) 18" Applicator (1/cs) – 47003

NewAge HW (oil-based finishes) 18" Applicator (1/cs) – 47004



NewAge Floor Coating Applicator Refills

Specially designed Nylfoam applies a precise, smooth and lint-free finish to wood, concrete, tile and slate surfaces. Use with water-based and oil-modified finishes.

NewAge 18" Applicator Refills (6/cs) - 47005

NewAge 24" Applicator Refills (6/cs) - 47009




NewAge Finish Pour Bucket

A high efficiency, easy-fill finish pour bucket. Significantly increases speed of laying finish. Pour finish directly onto surface during application. Constructed of high impact, solvent resistant molded plastic.

NewAge Finish Pour Bucket (4/cs) - 47006

SSS Athletic Floor Care Maintenance System



Athletic Floor Care System

The Bona® SuperCourt™ mop system has a 60", heavy duty aluminum mop with unique flared edge is perfect for dry or wet mopping. Included microfiber dusting pad uses special short and long fibers to trap and remove dust, dirt and debris quickly and safely from floors. Microfiber wet tacking pad is highly absorbent and great for daily wet cleaning or removal of abrasive dust during recoating. Both pads are washable for multiple uses.

System Includes:

- 1 - 60" Aluminum Mop Base
- 1 - 66" Aluminum Mop Pole
- 1 - 60" Microfiber Dusting Pad
- 1 - 60" Microfiber Wet Tacking Pad

60"- WM710013471



Cleaner Concentrate

Bona SuperCourt Cleaner Concentrate is a professional strength, non-toxic floor cleaner concentrate formulated for all urethane-finished hardwood floors coated with an unwaxed finish. Effective, residue-free solution for thoroughly cleaning and maintaining athletic floors.


1 gallon (4/cs) - WM70018184



Winter Cleaner Concentrate

Bona SuperCourt Winter Cleaner Concentrate is specifically designed to remove the damaging salts from athletic wood floors tracked in during winter months. This unique formulation quickly and safely breaks down and lifts calcium, magnesium and sodium salts, restoring the original gloss to athletic floors without damaging the finish.

1 gallon (4/cs) - WM70018187



Microfiber Cleaning Pads

Bona SuperCourt Microfiber cleaning pads for auto scrubbers feature absorbent microfiber combined with scrubbing bristles to safely and effectively clean athletic wood floors. Double sided and easily attached and removed from autoscrubbers.

12"- AX0003498

13"- AX0003501

20"- AX0003502



Microfiber Wet Tacking Pad

Bona SuperCourt Microfiber Wet Tacking Pad is designed for daily maintenance of wood athletic floors to maximize collecting dirt and debris. The blue tacking pad can be used for daily wet tacking after the floor has been dust mopped for complete floor care or for removing abrasive dust after the floor has been abraded during the recoat process.

60"- AX0003499



Microfiber Dusting Pad

Bona SuperCourt Microfiber Dusting Pad's long and short length microfibers are designed for removing various sizes of dirt, dust and debris. Easily attached and removed from the SuperCourt Mop base. Clean dusting pads are essential and recommended for best results.

60"- AX0003500

SSS Athletic Floor Care Maintenance




PREVENTION:

- Minimize dust and debris by providing sufficient walk-off mats and vacuuming them daily to prevent soil from reaching the athletic floor.
- Ensure there are clean filters in the air handling equipment as well.



DAILY DUSTING:

- Easily remove dust to avoid slippery floors by using the Bona® SuperCourt™ 60" Floor Mop with a CLEAN Bona SuperCourt Microfiber Dusting Pad, daily.



AUTO SCRUBBING:

- Once per week auto scrub with Bona SuperCourt Cleaner. Bona SuperCourt Cleaner is concentrated at 128:1 and is easily measured by using the bottle's graduation marks.
- Auto scrubber settings should be set to light head pressure and light cleaner flow. Bona SuperCourt Microfiber Cleaning Pads are recommended in conjunction with Bona SuperCourt Cleaner.



FOR BEAUTIFUL, RESIDUE FREE FLOORS, AVOID:

- Hard surface or multi-purpose cleaners
- Improperly mixed cleaners
- Dust mop treatments
- Dirty cleaning and dusting pads

Sport and Commercial Wood Floor Care Program:

- SSS Recoat System
- NewAge Oil-based Finishes
- NewAge Waterbased Finishes
- SSS Athletic Floor Care Maintenance System
- NewAge Application Tools

