
Personal Protective Devices



Work Gloves



Chemical Resistant Gloves



Disposable Gloves



Eye Protection



Emergency Kits



Accessories



- **8800**
Cotton Canvas, 8 oz.
- Comfortable, cotton canvas.
- Clute pattern, straight thumb, knit wrist.
- **Applications:** general maintenance, material handling, warehouse and truck driving.
- Size: L
- Pack: Dozen



- **8825**
Brown Jersey Glove
- 9 oz. jersey, knit wrist, clute pattern, straight thumb.
- Comfortable, warm.
- **Applications:** general maintenance, material handling, warehouse, shipping and receiving.
- Size: L
- Pack: Dozen



- **8875**
String Knit
- Reversible, regular weight.
- Natural color, cotton/polyester blend.
- Glove liner in cold applications.
- **Applications:** general purpose, material handling, food processing.
- Size: L
- Pack: Dozen



- **8892**
Orange Criss Cross
- All purpose glove features a heavy weight seamless construction.
- Coated with PVC in a honeycomb pattern on both sides to provide excellent gripping ability and ambidextrous use to double the life of the glove.
- **Applications:** material handling, warehouse work, assembly and fork lift operation.
- Size: L
- Pack: Dozen



- **8891**
PVC Dotted Both Sides
- String knit glove provides breathability.
- Black PVC dots on both sides provide excellent gripping ability and ambidextrous use, and double the life of the glove.
- **Applications:** warehouse work and material handling, assembly & fork lift operations.
- Size: L
- Pack: Dozen



- **8824**
24 oz. Hot Mill with Band Top
- Nap out palm, thumb, and index finger.
- 2 1/2" band top, clute cut, canvas back with knuckle strap.
- **Applications:** metal stamping, brick/block handling, iron/steel work, foundry work, lumber handling.
- Size: L
- Pack: Dozen



- **8815**
Golden Chore Blue Knit Wrist
- Blue knit wrist for a comfortable snug fit.
- Nap out for increased wear.
- **Applications:** warehouse work, material, brick and lumber handling.
- Size: L
- Pack: Dozen



- **8025**
Shoulder Leather Palm Knit Wrist
- Cotton lined, striped back.
- Straight thumb, shoulder leather.
- **Applications:** general maintenance, material handling, warehouse shipping and receiving.
- Size: L
- Pack: Dozen



- **8070**
2 1/2" Safety Cuff Double Leather Palm
- Cotton lined, 2 1/2" rubberized cuff for additional wrist and forearm protection and easy removability.
- Gunn pattern, leather fingertips, shoulder leather, double palm and index finger.
- Knuckle strap for added forearm protection, provides excellent wear and durability.
- **Applications:** metal stamping, block and brick, construction, lumber handling, steel work and pipe fitting.
- Size: L
- Pack: Dozen



- **8060**
Grain Leather Drivers' Glove Unlined Style
- Quality grain cowhide leather, shirred elastic back.
- Unlined, keystone thumb.
- **Applications:** truck drivers, material handling, warehouse, shipping and receiving.
- Sizes: M, L, XL
- Pack: Dozen



- **8062**
Premium Shoulder Leather 2 1/2" Safety Cuff
- Provides excellent wear and durability.
- Gunn cut pattern for additional finger protection.
- Knuckle strap for added forearm protection.
- Rubberized safety cuff for additional wrist and forearm protection and easy removability.
- **Applications:** heavy-duty applications such as metal stamping, block, brick, lumber, steel work, and pipe fitting.
- Size: L
- Pack: Dozen



- **8230**
Blue Nitrile Cut and Sewn
- Interlock knit lining, flexible coating, snug fit, easy on and off.
- Excellent dexterity, abrasion and snag resistance, superior dry grip, liquid repellent, machine washable.
- **Applications:** general purpose, assembly, inspection, small parts, metal working and fabrication, sheet metal, material handling.
- Sizes: M, L
- Pack: Dozen

Work Glove Application Chart



	Metal Stamping	Brick/Block Handling	Warehouse	Iron/Steel Work	Assembly	Pipe Fitting	Foundry Work	Forklift Operation	Lumber Handling	Inspection	Food Processing
Cotton Canvas 8800			■		■			■	■		
Golden Chore 8815		■	■	■			■		■		
Brown Jersey 8825		■	■		■	■		■	■		
String Knit w/ Dots 8891			■		■			■			
Hot Mill 8824	■	■		■			■		■		
Orange Criss Cross 8892		■	■		■			■			
String Knit 8875			■		■			■	■		
Double Leather Palm Safety Cuff 8070	■	■		■		■			■		
Leather Palm Safety Cuff 8062	■	■	■	■		■		■	■		
Grain Leather Drivers' 8060			■	■	■			■	■		
Leather Palm Knit Wrist 8025	■	■	■	■	■			■	■		
Nitrile Cut and Sewn 8230			■	■	■			■			

Cuff Styles



Safety Cuff



Band Top



Knit Wrist



Gauntlet



Slip-on/Open

Work Glove Legend

Cotton	■
Leather	■
Coated	■

OSHA Hand Protection

OSHA Standard 29 CFR 1910.138 Hand Protection

Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; puncture, chemical burns; thermal burns and harmful temperature extremes.



T8440

Flock Lined Latex

- 20 mil thickness, length 12".
- Embossed grip.
- **Applications:** general cleaning, maintenance, janitorial services, handles mild chemicals, housekeeping.
- Chemically resists mild detergents, acid solvents, alkalies, animal fats, vegetable oils and germicides.
- Sizes: S, M, L, XL
- Pack: Dozen



T8448

Flock Lined Latex

- 18 mil thickness, length 12".
- Same applications as 8440.
- Sizes: S, M, L, XL
- Pack: Dozen



8418

Flock Lined Latex

- 18 mil thickness, length 12", USDA compliant.
- **Applications:** general cleaning, maintenance, janitorial services, hospitals, nursing homes, housekeeping and foodservice.
- Chemically resists mild detergents, acid solvents, alkalies, animal fats, vegetable oils and germicides.
- Sizes: S, M, L, XL
- Pack: Dozen



T8430

Deluxe Flock Lined Latex

- 28 - 30 mil thickness, length 12", USDA compliant.
- Embossed grip for wet or dry surfaces.
- **Applications:** janitorial service, general maintenance, chemical and food processing, handling and transporting chemicals, equipment assembly, dishwashing, harsh cleaning solutions.
- Chemically resists acids, solvents, alcohol, detergents, alkalies, salts, ketones, fats.
- Sizes: S, M, L, XL
- Pack: Dozen



T8118

Unlined Latex

- 18 mil thickness, length 12", USDA compliant.
- Embossed grip.
- **Applications:** general cleaning, maintenance, janitorial services, hospital and housekeeping.
- Chemically resists mild detergents, acid solvents, alkalies, animal fats, vegetable oils and germicides.
- Sizes: S, M, L, XL
- Pack: Dozen



8333

Long Sleeve Lined Neoprene

- 30 mil thickness, length 15".
- Embossed grip, flock lined, longer length assures forearm protection, chemical and abrasion resistance.
- **Applications:** pot scrubbing, window washing, foundries, metal handling, automotive, photographic processing, strong chemical handling.
- Chemically resists chlorinated solvents, inorganic acids, petroleum products, varnish removers, oils, greases and paint.
- Sizes: M, L, XL
- Pack: Dozen



8018

Lined Single Dip PVC

- Length 18", abrasion resistant, liquid proof, smooth finish.
- Interlocking lining, treated with special agent to promote hygiene.
- **Applications:** chemical handling and transporting, wet and dry handling, building material handling.
- Chemically resists grease, oils, solvents, petroleum products.
- Size: L
- Pack: Dozen



8032L

12" Double Dip Black PVC

- 12" length, liquid proof.
- Protects against abrasives, cuts, acids, caustics and other hazardous chemicals.
- Etched finish provides excellent grip in wet and dry applications.
- Interlock lining for extra comfort and absorption.
- **Applications:** refining and petroleum industries, metal fabrication, plating, degreasing and material handling.
- Size: L
- Pack: Dozen



T8217

Flock Lined Nitrile

- 15 mil thickness, length 13", USDA compliant, non-slip grip.
- Flock lining, superior chemical and abrasion resistance.
- **Applications:** strong chemical use, stripping, degreasing, oven cleaning, harsh solvent, acid handling, auto, aircraft assembly, metal fabricating, poultry and meat processing, dishwashing.
- Chemically resists harsh solvents, acids, caustics, greases, oils, petroleum products, and alkali solutions.
- Sizes: M, L, XL
- Pack: Dozen



8225

Long Sleeve Unlined Nitrile

- 22 mil thickness, length 18", USDA compliant, embossed grip.
- Long sleeve protection, puncture resistant.
- **Applications:** food processing and preparation, washing pots, pans and dishes, oil refining, painting operations, oven cleaning, custodial work, harsh solvents and acid handling.
- Chemically resists acids, petroleum products, alkali solutions, harsh solvents, caustics, greases, oils, fats.
- Sizes: M, L, XL
- Pack: Dozen



8211

Short Sleeve Unlined Nitrile

- 11 mil thickness, length 13", unlined, non-slip grip.
- USDA compliant, superior chemical and puncture resistant.
- **Applications:** chemical use, oven cleaning, stripping, degreasing, metal fabricating, auto, aircraft assembly, harsh solvent and acid handling, poultry and meat processing, dishwashing.
- Chemically resists petroleum products, acids and alkali solutions, harsh solvents, caustics, oils and greases.
- Sizes: M, L, XL
- Pack: Dozen



8428

Green Nitrile Over Yellow Latex Flock Lined

- 28 mil thickness, length 13", USDA compliant, embossed grip.
- Abrasion and puncture resistant, protection of nitrile, comfort of latex.
- **Applications:** chemical handling, plant and kitchen maintenance, food processing, degreasing, oils and greases.
- Chemically resists acids, petroleum products, alcohol, animal fats, greases, oils, caustics and pesticides.
- Sizes: M, L, XL
- Pack: Dozen

Chemical Resistance Chart



CHEMICAL	Latex	Nitrile	Neoprene	PVC	CHEMICAL	Latex	Nitrile	Neoprene	PVC
Acetaldehyde	F	P	E	NR	Lauric Acid	G	E	E	F
Acetic Acid	G	G	E	F	Linoleic Acid	P	E	E	G
Acetone	G	NR	G	NR	Linseed Oil	P	E	E	E
Acetonitrile	F	NR	F	NR	Maleic Acid	P	E	E	G
Ammonium Hydroxide <30%* G	E	E	E		Methyl Acetate	P	P	G	NR
Amyl Acetate	F	E	NR	P	Methyl Alcohol	E	E	E	G
Amyl Alcohol	G	G	P	NR	Methylamine	E	E	G	E
Aniline	P	NR	G	F	Methylene Bromide	NR	NR	NR	NR
Animal Fats	P	E	E	G	Methylene Chloride	NR	NR	NR	NR
Battery Acids	G	E	E	E	Methyl Cellosolve	P	F	E	-
Benzaldehyde	F	NR	NR	NR	Methyl Ethyl Ketone (MEK)	G	NR	G	NR
Benzene	NR	P	NR	NR	Methylisobutyl Ketone	F	P	NR	NR
Benzoyl Chloride	P	NR	NR	NR	Methyl Methacrylate	P	P	NR	NR
Butane	P	E	F	P	Mineral Oil	P	E	E	F
Butyl Acetate	P	F	NR	NR	Mineral Spirits	NR	E	G	F
Butyl Alcohol	E	P	E	G	Monoethanolamine	G	E	E	E
Butyl Cellulosolve*	E	E	E	NR	Morpholine	G	NR	P	NR
Carbolic Acid	P	P	E	G	Muriatic Acids	G	G	E	G
Carbon Disulfide	NR	NR	NR	NR	Naptha V.M & P.	NR	E	G	P
Carbon Tetrachloride	NR	G	P	NR	Nitric Acid <30%	G	P	E	G
Castor Oil	E	E	E	E	Nitric Acid 70%	F	NR	G	F
Cellosolve Acetate	G	G	F	NR	Nitric Acid Red Fuming	P	NR	NR	P
Cellosolve Solvent	E	G	E	NR	Nitric Acid White Fuming	P	NR	NR	P
Chlorobenzene	NR	NR	NR	NR	Nitrobenzene	P	NR	NR	NR
Chloroform	NR	F	F	NR	Nitromethane	G	F	E	P
Chloronaphalens	NR	F	NR	NR	Nitropropane	E	NR	G	NR
Chlorothene VG	NR	F	NR	P	Octyl Alcohol	G	E	E	F
Chromic Acid	NR	F	F	G	Oleic Acid	P	E	E	F
Citric Acid	E	E	E	E	Paint Remover	F	G	G	P
Cottonseed Oil	P	E	E	G	Palmitic Acid	G	G	E	G
Cresole	P	G	G	F	Pentachlorophenol	P	E	E	F
Cutting Oil	F	E	E	P	Pentane	P	E	E	NR
Cyclohexane	P	E	F	P	Perchloric Acid 60%	P	E	E	E
Cyclohexanol	P	E	E	G	Potassium Hydroxide <50%*	E	G	E	E
Dibutyl Phthalate	P	G	F	G	Printing Ink	G	E	G	F
Diethylamine	NR	F	P	NR	Propyl Acetate	P	F	P	NR
Di-Isobutyl Ketone	P	E	P	P	Propyl Alcohol	E	E	E	F
Dimethyl Formamide (DMF)	E	NR	G	NR	Perchloroethylene	NR	G	NR	NR
Dimethyl Sulfoxide (DMSO)	E	E	E	NR	Phenol	G	NR	E	G
Dicotyl Phthalate (DOP)	P	G	G	NR	Phosphoric Acid*	G	E	E	G
Dioxane	F	NR	NR	NR	Picric Acid	G	E	E	E
Ethyl Acetate	P	NR	F	NR	Propylene Oxide	P	NR	NR	NR
Ethyl Alcohol	E	E	E	G	Rubber Solvent	NR	E	G	NR
Ethylene Dichloride	P	NR	NR	NR	Sodium Hydroxide <50%	E	G	E	G
Ethylene Glycol	E	E	E	E	Stoddard Solvent	P	E	E	NR
Ethyl Ether	NR	E	E	NR	Styrene*	NR	NR	NR	NR
Ethylene Trichloride	P	P	P	NR	Sulfuric Acid 95%	NR	NR	F	G
Formaldehyde	E	E	E	E	Tannic Acid	E	E	E	E
Formic Acid	E	F	E	E	Tetrahydrofuran (THF)	NR	NR	NR	NR
Freon	NR	F	G	NR	Toluene	NR	G	P	NR
Furfural	E	NR	G	NR	Toluene Di-Isocyanate (TDI)	P	NR	NR	P
Gasoline	NR	E	P	P	Trichlorethylene (TCE)	NR	G	P	NR
Glycerine	E	E	E	E	Tricrestyl Phosphate (TCP) G	E	F	F	
Hexane	NR	E	E	NR	Triethanolamine 85% (TEA)	G	E	E	E
Hydraulic Fluid Petro. Based	P	E	F	G	Tung Oil	NR	E	E	F
Hydraulic Fluid Ester Based	P	P	P	P	Turbine Oil	P	G	E	F
Hydrazine 65%	G	E	E	E	Turpentine	P	E	G	P
Hydrochloric Acid*	G	E	E	E	Vegetable Oil	P	E	E	F
Hydrofluoric Acid	G	E	E	E	Xylene	NR	G	P	NR
Hydrogen Peroxide	E	E	E	E					
Hydroquinone	G	E	E	E					
Isobutyl Alcohol	E	E	E	F					
Iso-Octane	NR	E	E	P					
Isopropyl Alcohol*	E	E	E	G					
Kerosene	P	E	E	F					
Lactic Acid	E	E	E	E					

KEY: P -Poor, F -Fair, G -Good, E -Excellent, NR -Not Recommended

* Basic chemicals used for cleaning.

Note: This chemical resistance chart is presented as a guide only. This does not consider permeability of the glove, chemical combinations, temperature, length of time that the glove is in contact with the chemical and thickness of the glove. These factors will alter or affect the performance of the glove. Recommend actual "on the job" testing of gloves. Always read Material Safety Data Sheets before using any chemicals.



Latex Exam Gloves (Non-Sterile) Disposable

- 5 mil thickness, meets FDA requirements.
- Cornstarch pre-powdered, rolled cuff, excellent dexterity, ambidextrous.
- Helps protect against virus and disease, medical grade.
- **Applications:** medical and dental, lab work, cleaning, blood spills.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00021S, 00022M, 00023L, 00024XL**



Latex Exam Gloves (Non-Sterile) Disposable

- 5 mil thickness, meets FDA requirements, powder free, rolled cuff.
- Excellent dexterity, ambidextrous, textured grip, medical grade.
- Protects against virus and disease.
- **Applications:** handling of blood and bodily fluid spills, medical and dental applications, lab work.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00032S, 00033M, 00034L, 00035XL**



Latex General Purpose Gloves Disposable

- 5 mil thickness, cornstarch pre-powdered, rolled cuff.
- Excellent dexterity, ambidextrous.
- **Applications:** assembly, cleaning, manufacturing work, lab work, any non-medical application needing dexterity.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00036S, 00037M, 00038L, 00039XL**



Latex General Purpose Gloves Disposable

- 5 mil thickness, rolled cuff, powder free.
- Excellent dexterity, ambidextrous.
- **Applications:** food handling and preparation, assembly and manufacturing work, any non-medical application needing dexterity.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00040S, 00041M, 00042L, 00043XL**



100% LATEX FREE

Vinyl General Purpose Gloves Disposable

- 5 mil thickness, cornstarch pre-powdered, rolled cuff.
- Excellent dexterity, ambidextrous.
- **Applications:** general light duty cleaning, painting, manufacturing and parts assembly, precision parts handling, any non-medical application needing dexterity and sensitivity.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00044S, 00045M, 00046L, 00047XL**



100% LATEX FREE

Vinyl Exam Gloves Disposable

- 5 mil thickness, meets FDA requirements, ambidextrous.
- Cornstarch pre-powdered, rolled cuff, excellent finger sensitivity.
- Medical grade.
- **Applications:** handling of blood and bodily fluid spills, medical and dental applications, lab work, medical grade.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00017S, 00018M, 00019L, 00020XL**



100% LATEX FREE

Nitrile General Purpose Gloves Disposable

- 4 mil thickness, length 9 1/2", superior tear strength and dexterity.
- Meets FDA requirements CFR-21 170-199 for food handling, ambidextrous.
- Highly chemical and puncture resistant, powder free.
- **Applications:** lab work, chemical handling, small parts handling, foodservice.
- Sizes: S, M, L, XL
- Pack: 100/bx.; 10 bx./cs.
- **00028S, 00029M, 00030L, 00031XL**



100% LATEX FREE

ProGuard® Disposable Polyethylene - Boxed

- Length 11 1/2", 1.25 mil thickness, USDA compliance, embossed.
- Economical, sanitary, compact dispenser for easy removal.
- **Applications:** food and precision parts handling, good for skin irritating tasks, painting and polishing, general and equipment cleanup.
- Sizes: M, L
- Pack: 100/bx.; 10 bx./cs.
- **8600**



Protective Glove Dispenser

- Attractive design.
- Fits most 100 pack dispenser boxes of disposable latex and vinyl gloves.
- Molded in clear acrylic to see type of glove.
- Large opening for easy removal of gloves.
- Wall mount horizontal or vertical with two way tape included.
- Pack: Each
- **8615**



Disposable Glove Removal Procedure

You must follow a safe procedure for glove removal, being careful that no pathogens from the soiled gloves contact your hands:

- With both hands gloved, peel one glove off from top to bottom and hold it in the gloved hand.
- With the exposed hand, peel the second glove from the inside, tucking the first glove inside the second.
- Dispose of the entire bundle promptly.
- Remove gloves when they become contaminated, damaged, or before leaving the work area.
- Wash hands thoroughly.



7334B
ProGuard® Frontrunner™
Safety Glasses

- Adjustable lock-in temples.
- Wraparound design.
- Maximum coverage at brow and sides.
- High impact and scratch-resistant polycarbonate lenses provide 99.9% UV protection.
- ProGuard® imprint.
- Pack: Pair



8000
ProGuard® Advocate™
Safety Glasses

- Ultra-modern wraparound design.
- Soft PVC nosepiece conforms to wearer's nose for maximum comfort.
- Adjustable lock-in temples.
- Integrates lens and sideshields in a one piece, seamless design.
- High impact and scratch-resistant polycarbonate lenses provide 99.9% UV protection.
- ProGuard® imprint.
- Pack: Pair



8100
ProGuard® Cerberus™
Safety Glasses

- Sharp-looking, ultra-lightweight wraparound design for comfort and balance.
- High impact and scratch-resistant polycarbonate lenses provide 99.9% UV protection.
- ProGuard® imprint.
- Pack: Pair



7320
Chemical Splash Goggle
with Anti-Fog

- Goggles with anti-fog lens, indirect ventilation vents.
- Specified on MSDS, meets ANSI Z87.1-1989 Safety Standards.
- Pack: Each

OSHA Standard 29 CFR 1910.133 Eye Protection
Employees must use appropriate eye or face protection when exposed to hazards from flying particles, molten metal, liquid chemicals, acids, chemical gases or vapors. Side shields are required when there is a hazard from flying objects. *Must be in compliance with ANSI Z358.1-1990 Safety Standards.*



7327
Caution Do Not Enter Barrier Tape
7328

Caution Barrier Tape
7328B
Caution-Cuidado Barrier Tape
Bilingual English/Spanish

- applies to all
- Warning sign and barricade to keep people clear of hazardous areas.
 - Printed to help communicate possible hazards.
 - For the protection and identification of hazardous areas, polyethylene tape.
 - Size: 3" W
 - Pack: 1000 ft. per roll



7315
Safety Slipper

- Lightweight, over-the-shoe tie-on safety slipper.
- Abrasive outsole for assured footing, cushioned sole offers comfort.
- Water resistant polyethylene upper limits dampness on shoes.
- Heavy machine stitched seam construction.
- Excellent for use when stripping floors.
- Sizes: M, L
- Pack: Pair

OSHA Standard 29 CFR 1910.136 Foot Protection

Employees must wear protective footwear in areas where there is danger of foot injuries due to falling or rolling objects, piercing of the sole, chemical or electrical hazards. *Must be in compliance with ANSI Z41-1991.*



7313
Treads

- Offers excellent skid resistance and are 100% waterproof.
- Covers most work shoes up to ankles.
- Abrasive outsoles adhere to shoes with special adhesive compound.
- Use with harsh strippers, caustics, acids, solvents, other liquids and when stripping floors.
- Sizes: M, L
- Pack: Pair



7317
First Aid Kit

- Serves 9 people.
- *Kit includes:* 1 adhesive tape, 1 stretch gauze, 4 gauze pads, 4 packets burn creme, 4 soothe-a-sting swabs, 4 merthiolate swabs, 4 buffered aspirins, 1 cold pack, 8 knuckle bandages, 8 fingertip bandages, 8 cloth strips, 4 extra large bandages, 1 scissors and 8 cut cleaners.
- Pack: Each



7318
First Aid Kit

- Serves 25 people.
- *Kit includes:* 1 adhesive tape, 1 stretch gauze, 4 gauze pads, 4 eye pads, 1 triangular bandage, 1 cold pack, 2 ammonia inhalants, 6 packets burn creme, 10 cut cleaners, 5 large bandages, 100 plastic strips, 1 forceps, 1 scissors, 1 trauma pad, 4 soothe-a-sting swabs, and 1 first aid chart.
- Pack: Each



7301
Heavy Weight
Protective/Safety Suit

- PVC coated on polyester broad loom fabric, .35mm thickness.
- Resistant to abrasions, tears, oils, acids and industrial compounds.
- Premium PVC allows suit to stay flexible at cold temperatures.
- Storm fly front, elastic suspenders, take up snaps at wrists and ankles.
- Detachable hood with drawstrings, patch flap pockets.
- Sizes: M, L, XL
- Pack: Each

OSHA Standard 29 CFR 1910.1200 Hazard Communication

To ensure that the hazards of all chemicals in the workplace are evaluated and that information concerning the hazards is communicated to the employees. This communication of information is accomplished through a hazard communications program, container labeling, MSDS accessibility and effective employee training.



7919
Right To Know Center

- Center provides high visibility and instant accessibility to important chemical hazard information.
- Helps comply with OSHA 29 CFR 1910.1200 Regulation.
- Holder/Sign is made of durable polystyrene.
- Includes 1 1/2" three ring binder for MSDS to keep them together.
- Pack: Each



7350
Sharps Container

- 1 quart has blood tube holder and easily accessible needle remover.
- For disposal of pointed items such as needles, syringes, scalpels, etc.
- Meet OSHA Bloodborne Pathogens Rule, 29 CFR 1910.1030.
- Clear top to inspect contents instantly, securely contains sharps.
- Puncture resistant, leakproof, hi-impact plastic.
- Lid locks tight for safe handling and disposal.
- Containers are versatile, can be autoclaved or incinerated.
- Pack: Each


**7361
Medium Weight Neoprene
Apron**

- 19 mil thickness, 12 1/2 oz.
- Four metal grommets.
- USDA accepted.
- Reinforced bib and hemmed edges provide excellent durability.
- Pack: Each


**7362
Lightweight Vinyl Apron**

- 8 mil thickness, USDA accepted.
- Constructed of high quality virgin vinyl.
- Ideal for lighter duty applications.
- Great for janitorial services.
- Pack: Each


**8705/8707
Disposable Polyethylene
Apron**

- 1 mil thickness and universal sizing.
- Full bib, extra long ties.
- USDA accepted.
- Provides economical protection.
- **8707** is 2 mil thickness.
- Pack: **8705**-1000/cs., **8707**-500/cs.


**7377
Value-Plus Back Support
with Suspenders**

- Basic back support for general lifting and back support applications.
- Vented back tension straps.
- Seven inch wide back panel.
- Sizes: S, M, L
- Pack: Each


**7380
Deluxe Dual Closure Back
Support with Suspenders**

- Recommended for light-duty lifting and support applications.
- Patented, multi-step closure design offers superior custom fit.
- Supports lower back and abdominal area, helps reduce worker fatigue.
- Constructed of brush nylon and medical grade truss elastic which retains memory for continued firm support.
- Excellent quality, two year warranty.
- Sizes: S, M, L
- Pack: Each


**7310
Disposable Foam Ear
Plugs**

- Soft foam material ear plugs provide effective and comfortable protection.
- Noise reduction rating (NRR) of 29 decibels.
- Biodegradable packaging.
- Pack: 200/bx.


**7311C
Disposable Corded Foam
Ear Plugs**

- Disposable, economical corded ear plugs.
- Noise reduction rating (NRR) of 29 decibels.
- Insertion instructions are printed on wall-mount dispenser box.
- Pack: 200/bx.

Distributed by:

