

**MATERIAL SAFETY DATA SHEET**

Effective Date: 04-17-00

Revised Date: 06-14-00

**SUPPLIER:**

Triple S  
2 Executive Park Drive  
Billerica, MA 01862

Page 1 of 2

=====  
This Material Safety Data Sheet is being provided to your company for the purpose of providing current health and safety information to your management and employees who work with this product. Please read the data provided and then provide it to those people at your company who have the responsibility to insure compliance with both FEDERAL and STATE Right to Know regulations, and to those employees that request information on this product.

Federal Regulations: Parts 29 and 42 Code of Federal Regulations

State of Illinois : Public Act 83-240

**SECTION I PRODUCT IDENTIFICATION****Manufacturer Name and Address:**

Triple S  
2 Executive Park Drive  
Billerica, MA 01862  
(800) 323-2251

**Chemical Family:** Aerosol Mixture**Formula:** N/A**Hazard Classification:** Consumer Commodity, ORM-D**NFPA Rating System:** Fire-3/Health-1/Reactivity-0**Emergency : 888-779-1339****SECTION 2 HAZARDOUS COMPONENTS**

=====  
This product is a mixture for which no health hazard data exist. The hazard communication standard requires that such mixtures be assumed to present the same health hazard as do the components that constitute at least 1% of the mixture (0.1% for carcinogens) although OSHA has noted that the hazards of the individual components may be altered by including them in a mixture.

Components of this product that are listed as Hazardous Materials and/or present in quantities as defined in OSHA 29 CFR 1910,1200.

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act and 40 CFR 372:

CAS #	Chemical	Upper Bound concentration %
NA	Glycol Ethers	8.00
67-64-1	Acetone	29.50

**Ingredients**

Ingredients	CAS #	%	TLV/PEL
Dymel 152A	75-37-6	45-55	NE
2-Propanone	67-64-1	25-35	750ppm(1780 mg/m <sup>3</sup> ) TLV; 1000 ppm (2380 mg/m <sup>3</sup> ) STEL (ACGIH);750ppm(1800 mg/m <sup>3</sup> ) PEL;1000 ppm (2400 mg/m <sup>3</sup> ) STEL (OSHA); 250 ppm (590 mg/m <sup>3</sup> ) TWA (NIOSH)
Ethoxydiglycol	111-90-0	5-10	NE
Fragrance (Proprietary mixture)	NE	12-16	NE
Odor Neutralizer (Proprietary mixture)	NE	<1	NE

NE= not established

**SECTION 3 PHYSICAL DATA:****Boiling Point:** ND**Vapor Pressure:** NA**Vapor Density (air=1):** NA**Solubility in Water:** Insoluble**Appearance & Odor:** Clear liquid, pleasantly scented**Specific Gravity:** 0.900 – 1.00 g/ml**Percent Volatile:** ND**Evaporation Rate:** ND

=====

=====
SECTION 4 FIRE AND EXPLOSION DATA
=====

Flash Point (Method): <-20 C (TCC)

Extinguishing Media: Chemical, foam, carbon dioxide.

Special Fire Fighting Procedures: The use of self-contained breathing apparatus is recommended for fire fighters. Water may be unsuitable as an extinguishing media, but helpful in keeping adjacent containers cool. Avoid spreading burning liquid with water used for cooling purposes.

Unusual Fire & Explosion Hazards: Prolonged exposure to temperatures above 130F may cause cans to burst.

=====
SECTION 5 HEALTH HAZARD DATA
=====

TLV: Not Determined

EFFECTS OF OVEREXPOSURE:

Eye Contact: May cause irritation.

Skin Contact: May cause irritation.

Inhalation: May cause breathing difficulties. Deliberately concentrating and inhaling vapors may be harmful or fatal.

Ingestion: Harmful or fatal.

Threshold Limit Value: ND

EMERGENCY FIRST AID PROCEDURES:

Inhalation: Remove to fresh air. Administer oxygen if needed.

Eye contact: Flush with plenty of water for at least 15 minutes.

Ingestion: Do not induce vomiting. Contact a physician immediately.

Skin Contact: Wash with soap and water.

Contact a physician if irritation persists.

=====
SECTION 6 REACTIVITY DATA
=====

Stability: Stable

Conditions to Avoid: Temperatures above 130F.

Incompatibility (materials to avoid): None known.

Hazardous Decomposition Products: None known.

Hazardous Polymerization: Will not occur.

Conditions to avoid: None known.

=====
SECTION 7 SPILL OR LEAK PROCEDURES
=====

Steps to be taken in case material is released or spilled: Pick up excess with absorbent material and discard in accordance with regulations. Flush surfaces with IPA and then rinse with soap and water.

Waste Disposal Method: Dispose in accordance with all local, state and federal regulations.

=====
SECTION 8 SPECIAL PROTECTION
=====

Respiratory Protection: Not normally required.

Ventilation:

Local Exhaust Rate: Recommended

Special: None

Mechanical (General): Acceptable

Protective Gloves: Rubber gloves.

Eye Protection: Safety glasses.

Other Protective Equipment: None required.

=====
SECTION 9 SPECIAL PRECAUTIONS OR COMMENTS
=====

Precautions to be taken in handling and storing: Contents under pressure. Do not store below 32F or above 130F. Do not puncture or incinerate containers. Do not use or store near heat, sparks or open flame.

Other Precautions: Keep this and all chemicals out of the reach of children. Recommended use with ventilation.

INITIAL DATE: April 2000

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof Triple S makes no representations as to the completeness or accuracy thereof. Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Triple S be responsible for damages of any nature whatsoever resulting from use of or reliance upon said information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.